

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

#### ANALYTICAL RESULTS

Prepared by:

Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 Stantec 1060 Andrew Drive Suite 140 West Chester PA 19380

Report Date: June 28, 2017

**Project: MHIC AOI5** 

Submittal Date: 06/19/2017 Group Number: 1815034 PO Number: MARCUS HOOK State of Sample Origin: PA

 Client Sample Description
 (LL) #

 MW-554-20170616 Grab Groundwater
 9056751

 MW-583-20170616 Grab Groundwater
 9056752

 TB-20170616 Water
 9056753

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <a href="http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/">http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/</a>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To

Stantec

Electronic Copy To

Sunoco c/o Stantec

Attn: Andrew Bradley Attn: Jenny DeBoer

Respectfully Submitted,

Amek Carter Specialist

(717) 556-7252

Project Name: MHIC AOI5 LL Group #: 1815034

#### General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

#### **Analysis Specific Comments:**

No additional comments are necessary.



# **Analysis Report**

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-554-20170616 Grab Groundwater

MHIC AOI 5

LL Sample # WW 9056751 LL Group # 1815034 Account # 16657

Project Name: MHIC AOI5

Submitted: 06/19/2017 12:52

Reported: 06/28/2017 10:30

Collected: 06/16/2017 14:45 by JC Stantec

1060 Andrew Drive

Suite 140

West Chester PA 19380

55405

CAT No.	Analysis Name		CAS Number	Resul	t	Method Detection Limit	Dilution Factor
GC/MS	Volatiles	SW-846	8260B	ug/l		ug/l	
10335	Benzene		71-43-2	N.D.		0.5	1
10335	sec-Butylbenzene		135-98-8	N.D.		1	1
10335	tert-Butylbenzene		98-06-6	N.D.		1	1
10335	Cyclohexane		110-82-7	N.D.		2	1
10335	1,2-Dichloroethane		107-06-2	N.D.		0.5	1
10335	Ethylbenzene		100-41-4	N.D.		0.5	1
10335	n-Hexane		110-54-3	N.D.		2	1
10335	Isopropylbenzene		98-82-8	N.D.		1	1
10335	Methyl Tertiary But	vl Ether	1634-04-4	N.D.		0.5	1
10335	Toluene	yr Bener	108-88-3	N.D.		0.5	1
10335	1,2,4-Trimethylbenz	ene	95-63-6	N.D.		1	1
10335	1,3,5-Trimethylbenz		108-67-8	N.D.		1	1
10335	Xylene (Total)	iciic	1330-20-7	N.D.		0.5	1
GC/MS	Semivolatiles	SW-846	8270C	ug/l		ug/l	
14247	Acenaphthene	D 010	83-32-9	0.1	J	0.1	1
14247	Anthracene		120-12-7	0.2	J	0.1	1
14247	Benzo(a)anthracene		56-55-3	N.D.	S	0.1	1
14247	Benzo(a) pyrene		50-32-8	N.D.		0.1	1
14247	Benzo(b) fluoranthen	ie.	205-99-2	N.D.		0.1	1
14247	Benzo(g,h,i)perylen		191-24-2	N.D.		0.1	1
14247	Benzo(k) fluoranthen		207-08-9	N.D.		0.1	1
14247	1,1'-Biphenyl		92-52-4	N.D.		0.5	1
14247	Di-n-butylphthalate	<b>)</b>	84-74-2	N.D.		2	1
14247	Chrysene		218-01-9	N.D.		0.1	1
14247	Dibenz(a,h)anthrace	ene	53-70-3	N.D.		0.1	1
14247	Diethylphthalate		84-66-2	N.D.		2	1
14247	2,4-Dimethylphenol		105-67-9	N.D.		0.5	1
14247	2,4-Dinitrophenol		51-28-5	N.D.		11	1
14247	bis(2-Ethylhexyl)ph	nthalate	117-81-7	N.D.		2	1
14247	Fluoranthene		206-44-0	0.1	J	0.1	1
14247	Fluorene		86-73-7	N.D.		0.1	1
14247	Indeno(1,2,3-cd)pyr	rene	193-39-5	N.D.		0.1	1
14247	2-Methylnaphthalene	<b>:</b>	91-57-6	N.D.		0.1	1
14247	2-Methylphenol		95-48-7	N.D.		0.5	1
14247	4-Methylphenol		106-44-5	N.D.		0.5	1
	3-Methylphenol and chromatographic con	ditions u	sed for sample an	alysis.	The result reporte	d	
1404=	for 4-methylphenol	represent			otn compounds.	0.1	
14247	Naphthalene		91-20-3	N.D.		0.1	1
14247	4-Nitrophenol Phenanthrene		100-02-7	N.D.		11	1 1
14247			85-01-8	N.D.		0.1	
14247 14247	Phenol		108-95-2 129-00-0	N.D. 0.2	J	0.5 0.1	1 1
14247	Pyrene Pyridine		129-00-0	0.2 N.D.	U	2	1
14247	Quinoline		91-22-5	N.D.		1	1
Volati	iles by	SW-846	8011	ug/l		ug/l	

Extraction



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-554-20170616 Grab Groundwater

MHIC AOI 5

LL Sample # WW 9056751 LL Group # 1815034 Account # 16657

Project Name: MHIC AOI5

Submitted: 06/19/2017 12:52

Reported: 06/28/2017 10:30

Collected: 06/16/2017 14:45 by JC

1060 Andrew Drive

Suite 140

Stantec

West Chester PA 19380

55405

CAT No.	Analysis Name		CAS Number	Result	Method Detection Limit	Dilution Factor
	iles by	SW-846	8011	ug/l	ug/l	
Extra	ction					
10398	Ethylene dibromide		106-93-4	N.D.	0.0094	1
Metals	s Dissolved	SW-846	6010B	ug/l	ug/l	
07052	Cobalt		7440-48-4	N.D.	1.9	1
07055	Lead		7439-92-1	N.D.	6.2	1
07061	Nickel		7440-02-0	N.D.	2.8	1
07071	Vanadium		7440-62-2	N.D.	1.6	1
07072	Zinc		7440-66-6	N.D.	5.4	1

#### 03277 Lab Filtration - Metals

UЗ

The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded.

#### Sample Comments

This sample was filtered in the lab for dissolved metals. PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/18.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
10335	Evergreen Comprehensive VOCs	SW-846 8260B	1	Y171723AA	06/22/2017	01:17	Kevin D Kelly	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y171723AA	06/22/2017	01:17	Kevin D Kelly	1
14247	Skinner 8270C MINI	SW-846 8270C	1	17173WAG026	06/24/2017	01:32	Brandon K Cordova	1
10467	BNA Water Extraction	SW-846 3510C	1	17173WAG026	06/22/2017	19:15	Christine Gleim	1
	Skinner							
10398	EDB in Wastewater	SW-846 8011	1	171710016A	06/22/2017	22:56	Heather M Miller	1
07786	EDB Extraction (8011)	SW-846 8011	1	171710016A	06/20/2017	22:15	Edwin Ortiz	1
07052	Cobalt	SW-846 6010B	1	171730184801	06/24/2017	10:47	Eric L Eby	1
07055	Lead	SW-846 6010B	1	171730184801	06/24/2017	10:47	Eric L Eby	1
07061	Nickel	SW-846 6010B	1	171730184801	06/24/2017	10:47	Eric L Eby	1
07071	Vanadium	SW-846 6010B	1	171730184801	06/24/2017	10:47	Eric L Eby	1
07072	Zinc	SW-846 6010B	1	171730184801	06/24/2017	10:47	Eric L Eby	1
01848	ICP-WW, 3005A (tot rec) -	SW-846 3005A	1	171730184801	06/23/2017	16:22	Barbara A Kane	1



# **Analysis Report**

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-583-20170616 Grab Groundwater

MHIC AOI 5

LL Sample # WW 9056752 LL Group # 1815034 Account # 16657

Project Name: MHIC AOI5

Submitted: 06/19/2017 12:52

Reported: 06/28/2017 10:30

Collected: 06/16/2017 16:25 by JC Stantec

1060 Andrew Drive

Suite 140

West Chester PA 19380

58305

CAT No.	Analysis Name		CAS Number	Resul	.t	Method Detection Limit	Dilution Factor
GC/MS	Volatiles	SW-846	8260B	ug/l		ug/l	
10335	Benzene		71-43-2	N.D.		0.5	1
10335	sec-Butylbenzene		135-98-8	N.D.		1	1
10335	tert-Butylbenzene		98-06-6	N.D.		1	1
10335	Cyclohexane		110-82-7	N.D.		2	1
10335	1,2-Dichloroethane		107-06-2	N.D.		0.5	1
10335	Ethylbenzene		100-41-4	N.D.		0.5	1
10335	n-Hexane		110-54-3	N.D.		2	1
10335	Isopropylbenzene		98-82-8	N.D.		1	1
10335	Methyl Tertiary But	tvl Ether	1634-04-4	1		0.5	1
10335	Toluene	-1	108-88-3	N.D.		0.5	1
10335	1,2,4-Trimethylben:	zene	95-63-6	N.D.		1	1
10335	1,3,5-Trimethylben		108-67-8	N.D.		1	1
10335	Xylene (Total)	20110	1330-20-7	N.D.		0.5	1
10000	11/10110 (10001)		1330 20 7			0.5	-
•	Semivolatiles	SW-846		ug/l		ug/l	
14247	Acenaphthene		83-32-9	N.D.		0.1	1
14247	Anthracene		120-12-7	N.D.		0.1	1
14247	Benzo(a)anthracene		56-55-3	N.D.		0.1	1
14247	Benzo(a)pyrene		50-32-8	0.1	J	0.1	1
14247	Benzo(b)fluoranthe	ne	205-99-2	N.D.		0.1	1
14247	Benzo(g,h,i)peryle		191-24-2	N.D.		0.1	1
14247	Benzo(k)fluoranthe	ne	207-08-9	N.D.		0.1	1
14247	1,1'-Biphenyl		92-52-4	N.D.		0.5	1
14247	Di-n-butylphthalate	е	84-74-2	N.D.		2	1
14247	Chrysene		218-01-9	N.D.		0.1	1
14247	Dibenz(a,h)anthrace	ene	53-70-3	N.D.		0.1	1
14247	Diethylphthalate		84-66-2	N.D.		2	1
14247	2,4-Dimethylphenol		105-67-9	N.D.		0.5	1
14247	2,4-Dinitrophenol		51-28-5	N.D.		10	1
14247	bis(2-Ethylhexyl)pl	hthalate	117-81-7	N.D.		2	1
14247	Fluoranthene		206-44-0	N.D.		0.1	1
14247	Fluorene		86-73-7	N.D.		0.1	1
14247	Indeno(1,2,3-cd)py:		193-39-5	0.1	J	0.1	1
14247	2-Methylnaphthalene	е	91-57-6	N.D.		0.1	1
14247	2-Methylphenol		95-48-7	N.D.		0.5	1
14247	4-Methylphenol		106-44-5	N.D.		0.5	1
	3-Methylphenol and chromatographic con					orted	
	for 4-methylphenol	represent	s the combined to	tal of b	oth compounds.		
14247	Naphthalene		91-20-3	N.D.		0.1	1
14247	4-Nitrophenol		100-02-7	N.D.		10	1
14247	Phenanthrene		85-01-8	N.D.		0.1	1
14247	Phenol		108-95-2	N.D.		0.5	1
14247	Pyrene		129-00-0	0.2	J	0.1	1
14247	Pyridine		110-86-1	N.D.		2	1
14247	Quinoline		91-22-5	N.D.		1	1
Volati	iles by	SW-846	8011	ug/l		ug/l	

Extraction



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-583-20170616 Grab Groundwater

MHIC AOI 5

LL Sample # WW 9056752 LL Group # 1815034 Account # 16657

Project Name: MHIC AOI5

Submitted: 06/19/2017 12:52

Reported: 06/28/2017 10:30

Collected: 06/16/2017 16:25 by JC

1060 Andrew Drive

Suite 140

Stantec

West Chester PA 19380

58305

CAT No.	Analysis Name		CAS Number	Result	Method Detection Limit	Dilution Factor
Volat:	iles by	SW-846	8011	ug/l	ug/l	
10398	Ethylene dibromide		106-93-4	N.D.	0.0094	1
Metals	s Dissolved	SW-846	6010B	ug/l	ug/l	
07052	Cobalt		7440-48-4	N.D.	1.9	1
07055	Lead		7439-92-1	N.D.	6.2	1
07061	Nickel		7440-02-0	N.D.	2.8	1
07071	Vanadium		7440-62-2	N.D.	1.6	1
07072	Zinc		7440-66-6	N.D.	5.4	1

#### 03277 Lab Filtration - Metals

UЗ

The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded.

#### Sample Comments

This sample was filtered in the lab for dissolved metals. PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/18.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
10335	Evergreen Comprehensive VOCs	SW-846 8260B	1	Y171723AA	06/22/2017	01:39	Kevin D Kelly	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y171723AA	06/22/2017	01:39	Kevin D Kelly	1
14247	Skinner 8270C MINI	SW-846 8270C	1	17173WAG026	06/24/2017	02:02	Brandon K Cordova	1
10467	BNA Water Extraction	SW-846 3510C	1	17173WAG026	06/22/2017	19:15	Christine Gleim	1
	Skinner							
10398	EDB in Wastewater	SW-846 8011	1	171710016A	06/22/2017	23:27	Heather M Miller	1
07786	EDB Extraction (8011)	SW-846 8011	1	171710016A	06/20/2017	22:15	Edwin Ortiz	1
07052	Cobalt	SW-846 6010B	1	171730184801	06/24/2017	11:06	Eric L Eby	1
07055	Lead	SW-846 6010B	1	171730184801	06/24/2017	11:06	Eric L Eby	1
07061	Nickel	SW-846 6010B	1	171730184801	06/24/2017	11:06	Eric L Eby	1
07071	Vanadium	SW-846 6010B	1	171730184801	06/24/2017	11:06	Eric L Eby	1
07072	Zinc	SW-846 6010B	1	171730184801	06/24/2017	11:06	Eric L Eby	1
01848	ICP-WW, 3005A (tot rec) -	SW-846 3005A	1	171730184801	06/23/2017	16:22	Barbara A Kane	1



# **Analysis Report**

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: TB-20170616 Water

MHIC AOI 5

LL Sample # WW 9056753 LL Group # 1815034 Account # 16657

Project Name: MHIC AOI5

Collected: 06/16/2017

Submitted: 06/19/2017 12:52

Reported: 06/28/2017 10:30

Stantec

1060 Andrew Drive

Suite 140

West Chester PA 19380

05TBK

CAT No.	Analysis Name		CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS	Volatiles SW	-846 8	260B	ug/l	ug/l	
10335	Benzene		71-43-2	N.D.	0.5	1
10335	sec-Butylbenzene		135-98-8	N.D.	1	1
10335	tert-Butylbenzene		98-06-6	N.D.	1	1
10335	Cyclohexane		110-82-7	N.D.	2	1
10335	1,2-Dibromoethane		106-93-4	N.D.	0.5	1
10335	1,2-Dichloroethane		107-06-2	N.D.	0.5	1
10335	Ethylbenzene		100-41-4	N.D.	0.5	1
10335	n-Hexane		110-54-3	N.D.	2	1
10335	Isopropylbenzene		98-82-8	N.D.	1	1
10335	Methyl Tertiary Butyl I	Ether	1634-04-4	N.D.	0.5	1
10335	Naphthalene		91-20-3	N.D.	1	1
10335	Toluene		108-88-3	N.D.	0.5	1
10335	1,2,4-Trimethylbenzene		95-63-6	N.D.	1	1
10335	1,3,5-Trimethylbenzene		108-67-8	N.D.	1	1
10335	Xylene (Total)		1330-20-7	N.D.	0.5	1

#### Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/18.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	Evergreen Comprehensive	SW-846 8260B	1	Y171723AA	06/21/2017 22:42	Kevin D Kelly	1
01163	VOCs GC/MS VOA Water Prep	SW-846 5030B	1	Y171723AA	06/21/2017 22:42	Kevin D Kellv	1

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

### Quality Control Summary

Client Name: Stantec Group Number: 1815034

Reported: 06/28/2017 10:30

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

#### Method Blank

Analysis Name	Result	MDL	
	ug/l	ug/I	L
Batch number: Y171723AA Benzene	Sample N.D.	number(s):	9056751-9056753
sec-Butylbenzene	N.D.	1	
tert-Butylbenzene	N.D.	1	
Cyclohexane	N.D.	2	
1,2-Dibromoethane	N.D.	0.5	
1,2-Dichloroethane	N.D.	0.5	
Ethylbenzene	N.D.	0.5	
n-Hexane	N.D.	2	
Isopropylbenzene	N.D.	1	
Methyl Tertiary Butyl Ether	N.D.	0.5	
Naphthalene	N.D.	1	
Toluene	N.D.	0.5	
1,2,4-Trimethylbenzene	N.D.	1	
1,3,5-Trimethylbenzene	N.D.	1	
Xylene (Total)	N.D.	0.5	
Batch number: 17173WAG026	Sample		9056751-9056752
Acenaphthene	N.D.	0.1	
Anthracene	N.D.	0.1	
Benzo(a)anthracene	N.D.	0.1	
Benzo(a)pyrene	N.D.	0.1	
Benzo(b)fluoranthene	N.D.	0.1	
Benzo(g,h,i)perylene	N.D.	0.1	
Benzo(k)fluoranthene	N.D.	0.1	
1,1'-Biphenyl	N.D.	0.5	
Di-n-butylphthalate	N.D.	2	
Chrysene	N.D.	0.1	
Dibenz(a,h)anthracene	N.D.	0.1	
Diethylphthalate	N.D.	2	
2,4-Dimethylphenol	N.D.	0.5	
2,4-Dinitrophenol	N.D.	10	
bis(2-Ethylhexyl)phthalate	N.D.	2	
Fluoranthene	N.D.	0.1	
Fluorene	N.D.	0.1	
Indeno(1,2,3-cd)pyrene	N.D.	0.1	
2-Methylnaphthalene	N.D.	0.1	
2-Methylphenol	N.D.	0.5	
4-Methylphenol	N.D.	0.5	
Naphthalene	N.D.	0.1	
4-Nitrophenol	N.D.	10	
Phenanthrene	N.D.	0.1	

<sup>\*-</sup> Outside of specification

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Environmental** 

## Quality Control Summary

Client Name: Stantec Group Number: 1815034

Reported: 06/28/2017 10:30

#### Method Blank (continued)

Analysis Name	Result	MDL
	ug/l	ug/l
Phenol Pyrene Pyridine Quinoline	N.D. N.D. N.D. N.D.	0.5 0.1 2
Batch number: 171710016A Ethylene dibromide	Sample numb	per(s): 9056751-9056752 0.010
Batch number: 171730184801 Cobalt Lead Nickel Vanadium Zinc	Sample numb N.D. N.D. N.D. N.D. N.D.	per(s): 9056751-9056752 1.9 6.2 2.8 1.6 5.4

#### LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: Y171723AA	Sample numbe	r(s): 9056	751-9056753						
Benzene	20	21.4	20	21.37	107	107	78-120	0	30
sec-Butylbenzene	20	22.01	20	21.62	110	108	77-120	2	30
tert-Butylbenzene	20	19.91	20	19.51	100	98	78-120	2	30
Cyclohexane	20	16.07	20	16.01	80	80	67-121	0	30
1,2-Dibromoethane	20	20.99	20	21.02	105	105	75-120	0	30
1,2-Dichloroethane	20	20.99	20	20.79	105	104	66-128	1	30
Ethylbenzene	20	21.54	20	21.38	108	107	78-120	1	30
n-Hexane	20	16.8	20	16.33	84	82	52-147	3	30
Isopropylbenzene	20	19.84	20	19.98	99	100	80-120	1	30
Methyl Tertiary Butyl Ether	20	20.08	20	20.07	100	100	75-120	0	30
Naphthalene	20	21.06	20	20.66	105	103	59-120	2	30
Toluene	20	21.38	20	21.21	107	106	80-120	1	30
1,2,4-Trimethylbenzene	20	21.24	20	20.95	106	105	75-120	1	30
1,3,5-Trimethylbenzene	20	21.58	20	21.41	108	107	75-120	1	30
Xylene (Total)	60	63.86	60	63.84	106	106	80-120	0	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 17173WAG026	Sample numbe	r(s): 9056	751-9056752						
Acenaphthene	50	45.68	50	38.94	91	78	64-121	16	30
Anthracene	50	47.5	50	43.65	95	87	72-120	8	30
Benzo(a)anthracene	50	44.32	50	39.95	89	80	74-124	10	30
Benzo(a)pyrene	50	46.38	50	41.13	93	82	71-119	12	30
Benzo(b)fluoranthene	50	49.85	50	45.13	100	90	72-124	10	30
Benzo(g,h,i)perylene	50	43.03	50	39.41	86	79	61-124	9	30
Benzo(k)fluoranthene	50	53.06	50	47.52	106	95	73-121	11	30

<sup>\*-</sup> Outside of specification

P###### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.

# **Analysis Report**

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: Stantec Group Number: 1815034

Reported: 06/28/2017 10:30

#### LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,1'-Biphenyl	50	43.05	50	34.86	86	70	63-114	21	30
Di-n-butylphthalate	50	48.45	50	45.01	97	90	69-117	7	30
Chrysene	50	45.73	50	41.9	91	84	75-129	9	30
Dibenz(a,h)anthracene	50	46.09	50	41.19	92	82	65-126	11	30
Diethylphthalate	50	43.61	50	39.08	87	78	47-122	11	30
2,4-Dimethylphenol	50	40.26	50	37.71	81	75	40-99	7	30
2,4-Dinitrophenol	100	106.27	100	99.08	106	99	29-139	7	30
bis(2-Ethylhexyl)phthalate	50	49	50	44.84	98	90	64-126	9	30
Fluoranthene	50	47.81	50	43.16	96	86	74-126	10	30
Fluorene	50	43.2	50	38.75	86	77	67-120	11	30
Indeno(1,2,3-cd)pyrene	50	44.2	50	39.84	88	80	63-122	10	30
2-Methylnaphthalene	50	40.31	50	32.01	81	64	54-111	23	30
2-Methylphenol	50	44.64	50	41.41	89	83	50-104	8	30
4-Methylphenol	50	41.96	50	38.84	84	78	45-101	8	30
Naphthalene	50	41.48	50	35.38	83	71	54-109	16	30
4-Nitrophenol	50	26.42	50	24.04	53	48	22-78	9	30
Phenanthrene	50	48.22	50	43.8	96	88	72-117	10	30
Phenol	50	25.53	50	23.24	51	46	16-74	9	30
Pyrene	50	48.81	50	44.63	98	89	69-119	9	30
Pyridine	50	25.94	50	25.5	52	51	19-68	2	30
Quinoline	50	49.5	50	44.94	99	90	70-130	10	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 171710016A	Sample numbe	er(s): 90567	751-9056752						
Ethylene dibromide	0.128	0.114	0.128	0.118	89	92	60-140	4	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 171730184801	Sample numbe	er(s): 90567	751-9056752						
Cobalt	500	518.88			104		80-120		
Lead	150	158.72			106		80-120		
Nickel	500	522.46			104		80-120		
Vanadium	500	523.26			105		80-120		
Zinc	500	500.16			100		80-120		

#### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 171710016A	Sample numb	er(s): 9056	751-9056	5752 UNSPK: F	2056014					
Ethylene dibromide	N.D.	0.121	0.110			91		60-140		

<sup>\*-</sup> Outside of specification

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

### Quality Control Summary

Client Name: Stantec Group Number: 1815034

Reported: 06/28/2017 10:30

#### MS/MSD (continued)

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 1717301848	01 Sample numb	per(s): 905	5751-9056	752 UNSPK:	9056751					
Cobalt	N.D.	500	490.91	500	493.27	98	99	75-125	0	20
Lead	N.D.	150	147.08	150	145.68	98	97	75-125	1	20
Nickel	N.D.	500	485.53	500	489.37	97	98	75-125	1	20
Vanadium	N.D.	500	529.57	500	525.05	106	105	75-125	1	20
Zinc	N.D.	500	493.16	500	496.07	99	99	75-125	1	20

#### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc ug/l	DUP Conc ug/l	DUP RPD	DUP RPD Max
Batch number: 171710016A Ethylene dibromide	Sample number(s): N.D.	9056751-9056752 BKG: N.D.	9056752 0 (1)	30
	ug/l	ug/l		
Batch number: 171730184801	Sample number(s):	9056751-9056752 BKG:	9056751	
Cobalt	N.D.	N.D.	0 (1)	20
Lead	N.D.	N.D.	0 (1)	20
Nickel	N.D.	N.D.	0 (1)	20
Vanadium	N.D.	N.D.	0 (1)	20
Zinc	N.D.	N.D.	0 (1)	20

#### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Evergreen Comprehensive VOCs

Batch number: Y171723AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
9056751	103	102	99	93
9056752	101	102	97	99
9056753	103	103	97	90
Blank	101	103	98	91
LCS	95	99	100	101
LCSD	95	99	101	101

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

<sup>\*-</sup> Outside of specification

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

### Quality Control Summary

Client Name: Stantec Group Number: 1815034

Reported: 06/28/2017 10:30

#### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Evergreen Comprehensive VOCs

Batch number: Y171723AA

Limits: 80-116 77-113 80-113 78-113

Analysis Name: Skinner 8270C MINI

Batch number: 17173WAG026

	Phenol-d6	2-Fluorophenol	2,4,6-Tribromophenol	Nitrobenzene-d5	2-Fluorobiphenyl	Terphenyl-d14	
9056751	40	42	85	75	69	75	
9056752	35	41	80	78	71	69	
Blank	31	43	80	84	75	87	
LCS	42	56	91	90	84	88	
LCSD	38	52	84	84	77	83	
Limits:	10-71	10-84	13-149	29-119	41-112	38-125	

Analysis Name: EDB in Wastewater

Batch number: 171710016A

	1,1,2,2 Tottachioroctilane
9056751	105
9056752	101
Blank	101
DUP	105
LCS	101
LCSD	105
MS	104

Limits: 46-136

P###### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

<sup>\*-</sup> Outside of specification

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody

eurofins
----------

For Eurofins Lancaster Laboratories Environmental use only

Group # 18/503 Y Sample # 1050 >51-53 **COC** # 534060 **Lancaster Laboratories Environmental Client Information Matrix Analysis Requested** For Lab Use Only Acct. #: **Preservation Codes** FSC: SCR#: 207 00 Ground Surface PWSID #: **Preservation Codes** T=Thiosulfate H=HCI P.O. #: N=HNO<sub>3</sub> B=NaOH Total # of Containers S=H2SO4 0=Other Quote #: Remarks Potable NPDES State where samples were collected: For Compliance: Composite No 🌌 Yes Other: Collected Grab Sample Identification Soil Date Time 8 -20170616

Turnaround Tim	ne (TAT) Requ	ested (please circle)	
Standard		Rush	
(Rush TAT is subject to labo	ratory approval and	surcharge.)	
ate results are needed: _	5 Day	TAT	

E-mail address: Jenny, De Boer @ Stantec. Com	ALC: NO DESCRIPTION OF THE PROPERTY OF THE PRO	a Package Options (circle if required)
- /	F-mail address: .	LONAL DOBORDO CHANTER COM
Sale results are needed.		

Data Package	Options	(circle i	f require	d)
Type I (EPA Level 3				_

Equivalent/non-CLP)	

NJ DKQP

TX TRRP-13

NYSDEC Category A or B

Type III (Reduced non-CLP)

MA MCP CT RCP

Type VI (Raw Data Only)

Relinquished by	Storage
Relinquished by	Spirit

Relinguished by

· 3	tora	ae_
S	20 "	.)
	lem	Val
~	et	

Date	THITE
6.14-17	815
Date	Time
2.4.0	1700

	1.000,000,00
815	
ime	Received by
200	

Received by

Received by

Date	1 11111
6.14.17	8
 Date /	Tim
1 /1	

6.14.17	813
Date /	Time
6/14/1	1200

6/14/	1200
Date	Time
6.11.12	1219

•	6.16.17	1042
	Date	Time

	Date	IIIII
	Date	Time
_	6/10/10	1157

	No i	Relinquished by (	Commerc
If yes, format: EQUISEFW S	stantec	UPS F	edEx

1042

UPS	

ial Carrier:

JPS	FedEx	Other	_	
Tompor	oturo unon	receipt /	`	-

Temperature upon receipt	<u>Ł_</u> •c
--------------------------	--------------

Site-Specific QC (MS/MSD/Dup)? Yes

(If yes, indicate QC sample and submit triplicate sample volume.)

# 10657 | 1815034 | 9056751-53

# **Evergreen Comprehensive List (June 2016)**


VOCs by EPA Method 8260	CAS No.	SVOCs by EPA Method 8270	CAS No.
Benzene	71-43-2	Acenaphthene	83-32-9
Butylbenzene, sec-	135-98-8	Anthracene	120-12-7
Butylbenzene, tert-	98-06-6	Benzo(a)anthracene	56-55-3
Cumene	98-82-8	Benzo(a)pyrene	50-32-8
Cyclohexane	110-82-7	Benzo(b)fluroranthene	205-99-2
Dichloroethane, 1,2-	107-06-2	Benzo(g,h,i)perylene	191-24-2
Ethylbenzene	100-41-4	Benzo(k)fluoranthene	207-08-9
Ethylene Dibromide*	106-93-4	Biphenyl, 1,1-	92-52-4
Hexane	110-54-3	Bis(2-ethylhexyl) phthalate	117-81-7
Methyl tert butyl ether	1634-04-4	Chrysene	218-01-9
Toluene	108-88-3	Cresol, m- (3-methylphenol)	108-39-4
Trimethylbenzene, 1,2,4-	95-63-6	Cresol, o- (2-methylphenol)	95-48-7
Trimethylbenzene, 1,3,5-	108-67-8	Cresol, p- (4-methylphenol)	106-44-5
Xylenes	1330-20-7	Dibenz(a,h)anthracene	53-70-3
		Diethyl phthalate	84-66-2
		Dimethylphenol, 2,4-	105-67-9
		Dibutyl phthalate, n-	84-74-2
		Dinitrophenol, 2,4-	51-28-5
		Fluoranthene	206-44-0
Metals by Method 6010/6020	CAS No.	Fluorene	86-73-7
Cobalt ***	7440-48-4	Indeno(1,2,3-cd)pyrene	193-39-5
Lead***	7439-92-1	Methylnaphthalene, 2-	91-57-6
Nickel***	7440-02-0	Naphthalene**	91-20-3
Vanadium***	7440-62-2	Nitrophenol, 4-	100-02-7
Zinc***	7440-66-6	Phenanthrene	85-01-8
		Phenol	108-95-2
		Pyrene	129-00-0
		. Pyridine	110-86-1
		. Quinoline	91-22-5

<sup>\*</sup>Ethylene Dibromide (EDB) should be analyzed by Method 8011 instead of 8260 in soil for tank investigations and in all groundwater samples. EDB in all trip blank samples should be analyzed by 8260 regardless of method used for primary samples.

This list is generated from the PADEP SERO Crude Oil Parameters for Corrective Action (CDB|SERO|PADEP|9 Aug 2013) combined with PADEP Short List of Petroleum Products (leaded and unleaded gasoline and No. 1, 2, 4, 5, 6 Fuel Oils).

<sup>\*\*</sup>Naphthalene should be analyzed by EPA Method 8260 instead of 8270 for tank investigations.

<sup>\*\*\*</sup>Metals analysis should be total in soil and dissolved in groundwater.



# Sample Administration Receipt Documentation Log

186683 Doc Log ID: 

Group Number(s): 18/5034

Client: STANTEC CONSULTING

**Delivery and Receipt Information** 

**Delivery Method:** 

**ELLE Courier** 

Arrival Timestamp:

06/19/2017 12:52

Number of Packages:

1

Number of Projects:

1

State/Province of Origin:

PA

**Arrival Condition Summary** 

Shipping Container Sealed:

Yes

Sample IDs on COC match Containers:

Yes

**Custody Seal Present:** 

No

Sample Date/Times match COC:

Yes

Samples Chilled:

Yes

VOA Vial Headspace ≥ 6mm:

No

Paperwork Enclosed:

Yes

Total Trip Blank Qty:

2

Samples Intact:

Yes

Trip Blank Type:

**HCL** 

Missing Samples: Extra Samples:

No

No

Air Quality Samples Present:

No

Discrepancy in Container Qty on COC:

No

Unpacked by Evelyn Shank (12390) at 13:17 on 06/19/2017

Samples Chilled Details

Thermometer Types:

DT = Digital (Temp. Bottle)

IR = Infrared (Surface Temp)

All Temperatures in °C.

Cooler # Thermometer ID

Corrected Temp

Therm. Type

Ice Type

ice Present?

Ice Container

Elevated Temp?

DT42-02

0.7

DT

Wet

Υ

Bagged

Ν

General Comments:

Quantity of 1 TB on COC, 2 was sent.



# **Explanation of Symbols and Abbreviations**

The following defines common symbols and abbreviations used in reporting technical data:

**BMQL** Below Minimum Quantitation Level mq milligram(s) degrees Celsius mĹ milliliter(s) cfu colony forming units MPN Most Probable Number **CP Units** cobalt-chloroplatinate units N.D. none detected F degrees Fahrenheit ng nanogram(s) nephelometric turbidity units gram(s) NTU g IÙ International Units pg/L picogram/liter kilogram(s) RLReporting Limit kg **TNTC** liter(s) Too Numerous To Count lb. pound(s) microgram(s) μg μĹ microliter(s) m3 cubic meter(s) milliequivalents umhos/cm micromhos/cm meg

< less than

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an

as-received basis.

#### Laboratory Data Qualifiers:

C - Result confirmed by reanalysis

E - Concentration exceeds the calibration range

J (or G, I, X) - estimated value ≥ the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)

P - Concentration difference between the primary and confirmation column >40%. The lower result is reported.

U - Analyte was not detected at the value indicated

V - Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference...

W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



# **Additional Data Qualifiers**

Qualifier	Definition
В	Detection in the Blank
Q0	LCS/LCSD Low
Q1	LCS/LCSD High
Q4	MS/MSD Out of Range
Q7	LCS/LCSD RPD
Q8	DUP RPD
Q9	MS/MSD RPD
Z	Laboratory Defined - see analysis report